



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PROBLEMS.

69. BY E. P. NORTON, ALLEN, MICH.—Given $x^2 + y^2 = 793$, . . . (1)
 $\sqrt[3]{xy^2} + \sqrt[3]{x^2y} = 30$, . . . (2)

to find x and y by quadratics.

70. BY F. P. MATZ, B. E., ED. MATH. DEP. "NATIONAL EDUCATOR", KUTZTOWN, PA.—Given $y^2 + z^2 = 2500$, . . . (1), $x^2 = [130 - (x + t)]^2 \times 1600$, . . . (2), $xy = t[130 - (x + t)]$, . . . (3), $t^2 = y^2 + (z - 40)^2$, . . . (4) to find x , y and z .

71. BY WILLIAM HOOVER, BELLEFONTAINE, O.—Given the sides a , b , c of a spherical triangle ABC to find the radii, R , r , of the circumscribed and inscribed circles.

72. BY A. W. MASON, CEDAR FALLS, IOWA.—Find the maximum cylinder that can be cut from a given oblate spheroid, whose semi-axes are a and b .

73. BY CHRISTINE LADD, CHELSEA, MASS.—Find the whole number of sets of three integers having a constant sum.

74. BY PROF. W. W. HENDRICKSON, U. S. NAVAL ACAD. ANNAPOLIS, MD.—Find the equation of the locus of the middle point of a chord to the hyperbola $x^2 - y^2 = 2a^2$, the chord being of constant length and equal to seven times the transverse axis.

QUERY, BY PROF. A. HALL. — Into how many parts can n planes divide space.

QUERY, BY E. T. T. GAMBIER, O.—Is $65537 (= 2^{16} + 1)$ a prime?

Errata. On page 8, line 16, for " $3a^3$ " which occurs in the numerator of the fraction, read a^3 ; and on page 58, line 4, and lines 4 and 6 from bottom, for " p " in the numerator of the left member of the equation, read L . Also, on page 59, line 10, multiply the left member of the equation by $\sin \theta$.

[*Note.* Several correspondents have found fault with Mr. Farrow's solution of 53, but no other solution has been offered.

It is evident that the formula used by Mr. Farrow to estimate the effect of the atmospheric resistance, does not apply in calculating the velocity generated while the ball is passing from the breech to the muzzle of the gun, which is the case to be considered; for during that time the only pressure on the rear of the ball is that of the gas generated. The result obtained by Mr. Farrow cannot, therefore, be correct.]